5

20

25

10

## **CLAIMS**

- 1. A method of obtaining a liquid medicinal means is that honey is treated thermally, the obtained solution settled, then the solution is mixed with an adsorbent and settled again, afterwards filtered.
- 2. The method of claim 1 is in that the honey is treated thermally at 100-160°C temperature.
- 3. The method of claim 1 is in that the liquid obtained in result of thermal treatment is settled during 22-26 hours.
- 4. The method of claim 1 is in that before mixing with adsorbent the mixture is heated.
  - 5. The method of claims 1, 4 is in that after mixing with adsorbent the mixture is settled during 10-14 hours.
- 6. The method of claims 1, 4 and 5 is in that ratio of adsorbent and the liquid is 7:100.
  - 7. The method of claims 1, 4 and 6 is in that the adsorbent is an activated carbon.
    - 8. The method of claim 1 is in that the filtering is performed twice.
  - 9. The medicinal means is characterized in that it is obtained under the method of any claims 1-8 and its pH is 3-4.
    - 10. The medicinal means of claim 9 characterized in that it is an injection solution.
  - 11. The medicinal means of claim 9 characterized in that it is used for biostimulation, for treatment and prevention of microbial and viral infections, tumor processes.
  - 12. Use according the claim 11 is characterized in that the medicinal means is sued for prevention of tumor processes relapse.
  - 13. A method for obtaining a dry powder is in that the medicinal means of claim 9 is mixed with the pharmaceutically acceptable auxiliary means, the obtained mixture is dried and the dry mass is pounded.

10

15

20

25

- 14. The method according the claim 13 is in that the mass ratio of the medicinal means and the pharmaceutically acceptable auxiliary means is 1:1.
- 15. The method according the claims 13-14 is in that pharmaceutically acceptable auxiliary means is sodium bicarbonate.
- 16. A medicament containing an active ingredient placed in a capsule is characterized in that as an active ingredient contains the powder obtained under the method of claims 13-15.
  - 17. The medicament according the claim 16 is characterized in that it contains the active ingredient in the quantity of 0,3-0,6g.
  - 18. The medicament according the claims 16 and 17 is used for biostimulation, for treatment and prevention of microbial and viral infections and tumor processes.
  - 19. Use according the claim 18 is performed for prevention of tumor processes relapse.
  - 20. A pill containing the active ingredient and the pharmaceutically acceptable filling agent characterized in that as an active ingredient contains the powder obtained under the method of claims 13-15.
  - 21. The pill according the claim 20 is characterized in that it contains the active ingredient in the quantity of 0,3-0,6g.
  - 22. The pill according the claims 20 and 21 is used for bio-stimulation, for treatment and prevention of microbial and viral infections and tumor processes.
  - 23. Use according the claim 22 is in that it is performed for prevention of the tumor processes relapse.
- 24. An ointment is characterized in that it contains the medicinal means according the claim 9 propolis, St.-John's wort oil, beeswax and water.
  - 25. The ointment according the claim 24 is characterized in that it contains components in the following ratio of mass portions:

Medicinal means 3-5
Propolis 2-4
Oil of St.-John's wort 9-11

Beeswax 6-8

Water 4-6

26. The ointment according the claims 24 and 25 is used for treatment of wounds of skin and soft tissues, burns, purulent processes and trophic ulcers.